

Infinite Unions and Intersections

The set constructions I've considered so far — things like $A \cup B$, \overline{C} , $D \cap E$ — have involved finite numbers of sets. It's often necessary to work with infinite collections of sets, and to do this, you need a way of naming them and keeping track of them.

Definition. Let I be a set. A **collection of sets indexed by I** consists of a collection of sets S_i , one set S_i for each element $i \in I$.

You could make this more precise by defining a collection of sets indexed by I to be a function from I to the class of all sets. I'll stick with this informal definition, since it won't cause us any difficulties in what we do.

Let $I = \{1, 2, 3, 4\}$. A collection of sets indexed by I consists of four sets S_1 , S_2 , S_3 , and S_4 . For example,

$$S_1 = \{1, 2, 3\}, \quad S_2 = \{a, b, c\}, \quad S_3 = \mathbb{R}, \quad S_4 = \{1, 2, 3\}.$$

Note that $S_1 = S_3$; some of the sets in the collection may be identical.

Here's another collection of sets indexed by I :

$$S_1 = \emptyset, \quad S_2 = \mathbb{Z}, \quad S_3 = \{\pi, e\}, \quad S_4 = \{\text{pepperoni, sausage}\}.$$

This would not be very interesting if I were only considering finite collections of sets. Here are some infinite collections of sets.

Let $I = \mathbb{N} = \{1, 2, 3, \dots\}$. A collection of sets indexed by I is an infinite collection of sets S_1 , S_2 , S_3 , \dots .

Here is a collection of sets indexed by \mathbb{N} :

$$S_1 = (0, 1), \quad S_2 = \left(0, \frac{1}{2}\right), \quad S_3 = \left(0, \frac{1}{3}\right), \dots$$

In general, if n is a positive integer, then $S_n = \left(0, \frac{1}{n}\right)$.

Here's another collection of sets indexed by \mathbb{N} :

$$\begin{aligned} S_1 &= \{\dots, -3, -2, -1, 0, 1, 2, 3, \dots\} \\ S_2 &= \{\dots, -6, -4, -2, 0, 2, 4, 6, \dots\} \\ S_3 &= \{\dots, -9, -6, -3, 0, 3, 6, 9, \dots\} \\ &\vdots \end{aligned}$$

In general, S_n consists of the integers which are divisible by n .

Now let $I = \mathbb{R}$. Here's a collection of sets indexed by I :

$$S_x = \{x, -x\} \quad \text{for } x \in \mathbb{R}.$$

For instance, I have sets S_3 , $S_{-117/13}$, S_π , and so on, one for every real number.

Since \mathbb{R} is **uncountable**, I can't *list* the sets in this collection the way I could list collections of sets indexed by \mathbb{N} .

Here are a couple of the sets:

$$S_{\sqrt{2}} = \{\sqrt{2}, -\sqrt{2}\}, \quad S_{42} = \{42, -42\}.$$

Definition. Let I be a set, and let $\{S_i\}$ be a collection of sets indexed by I .

(a) The **union** $\bigcup_{i \in I} S_i$ of the S_i is the set

$$\bigcup_{i \in I} S_i = \{s \mid s \in S_i \text{ for some } i \in I\}.$$

(b) The **intersection** $\bigcap_{i \in I} S_i$ of the S_i is the set

$$\bigcap_{i \in I} S_i = \{s \mid s \in S_i \text{ for all } i \in I\}.$$

Remark. For a collection of sets S_1, S_2, S_3, \dots indexed by the natural numbers, you usually write the union and intersection this way:

$$\bigcup_{n=1}^{\infty} S_n \quad \text{and} \quad \bigcap_{n=1}^{\infty} S_n.$$

Example. Consider the following collection of sets indexed by \mathbb{N} :


$$S_1 = (0, 1), \quad S_2 = \left(0, \frac{1}{2}\right), \quad S_3 = \left(0, \frac{1}{3}\right), \dots, S_n = \left(0, \frac{1}{n}\right), \dots$$

Prove:

(a) $\bigcup_{n=1}^{\infty} \left(0, \frac{1}{n}\right) = (0, 1).$

(b) $\bigcap_{n=1}^{\infty} \left(0, \frac{1}{n}\right) = \emptyset.$

The collection of intervals is shown below. They actually lie on top of one another on the x -axis; I've "pulled them up" so you can see them separately.



(a) I will show each set is contained in the other. Let $x \in \bigcup_{n=1}^{\infty} \left(0, \frac{1}{n}\right)$. Then $x \in \left(0, \frac{1}{n}\right)$ for some $n > 1$.

This means that $0 < x < \frac{1}{n}$.

Now $n > 1$ implies $\frac{1}{n} < 1$, so $0 < x < 1$. Hence, $x \in (0, 1)$.

This proves that $\bigcup_{n=1}^{\infty} \left(0, \frac{1}{n}\right) \subset (0, 1)$.

Conversely, suppose $x \in (0, 1)$. Now $S_1 = (0, 1)$, so by the definition of union, $x \in \bigcup_{n=1}^{\infty} \left(0, \frac{1}{n}\right)$. This proves that $(0, 1) \subset \bigcup_{n=1}^{\infty} \left(0, \frac{1}{n}\right)$.

Hence, $\bigcup_{n=1}^{\infty} \left(0, \frac{1}{n}\right) = (0, 1)$. \square

(b) Since the empty set is a subset of any set, I have $\emptyset \subset \bigcap_{n=1}^{\infty} \left(0, \frac{1}{n}\right)$.

The opposite inclusion is $\bigcap_{n=1}^{\infty} \left(0, \frac{1}{n}\right) \subset \emptyset$. To show this means to show that $\bigcap_{n=1}^{\infty} \left(0, \frac{1}{n}\right)$ contains *no* elements. I'll give a proof by contradiction.

Suppose on the contrary that $c \in \bigcap_{n=1}^{\infty} \left(0, \frac{1}{n}\right)$. By the definition of intersection, this means that $c \in \left(0, \frac{1}{n}\right)$ for every positive integer n .

Note that

$$\lim_{n \rightarrow \infty} \frac{1}{n} = 0.$$

In the limit definition, choose $\epsilon = c$. Then there is a number M such that for all $n > M$, I have

$$c = \epsilon > \left| \frac{1}{n} - 0 \right| = \frac{1}{n}.$$

Choose a *positive integer* n such that $n > M$. Then

$$0 < \frac{1}{n} < c.$$

But this means that $c \notin \left(0, \frac{1}{n}\right)$, contradicting the fact that $c \in \left(0, \frac{1}{n}\right)$ for every positive integer n .

This shows that there is no such element c , so the intersection is empty. \square

Example. Prove that $\bigcup_{n=1}^{\infty} \left[0, \frac{n}{n+1}\right] = [0, 1)$.

First, I'll show that the left side is contained in the right side. Let $x \in \bigcup_{n=1}^{\infty} \left[0, \frac{n}{n+1}\right]$. I have to show that $x \in [0, 1)$.

Since $x \in \bigcup_{n=1}^{\infty} \left[0, \frac{n}{n+1}\right]$, I know that $x \in \left[0, \frac{n}{n+1}\right]$ for some $n \geq 1$. This means that

$$0 \leq x \leq \frac{n}{n+1}.$$

But

$$\begin{aligned}1 &> 0 \\n + 1 &> n \\1 &> \frac{n}{n + 1}\end{aligned}$$


Therefore, $0 \leq x < 1$. This means that $x \in [0, 1)$. Hence, $\bigcup_{n=1}^{\infty} \left[0, \frac{n}{n + 1}\right] \subset [0, 1)$.

Next, I'll show that the right side is contained in the left side. Suppose $x \in [0, 1)$. I have to show that $x \in \bigcup_{n=1}^{\infty} \left[0, \frac{n}{n + 1}\right]$.

Since $x \in [0, 1)$, I have $0 \leq x < 1$. Note that

$$\lim_{n \rightarrow \infty} \frac{n}{n + 1} = 1.$$

I'll pause to give a picture of what I'll do next. The idea is that since $\frac{n}{n + 1}$ is approaching 1, and since $x < 1$, eventually the $\frac{n}{n + 1}$ terms must become larger than x :



Intuitively, if all the $\frac{n}{n + 1}$'s stayed to the left of x , then their limit couldn't be greater than x , so the limit couldn't be 1.

Continuing the proof, in the limit definition, let $\epsilon = 1 - x$. Then there is a number M such that if $n > M$,

$$1 - x = \epsilon > \left| \frac{n}{n + 1} - 1 \right|.$$

Since $\frac{n}{n + 1} < 1$, the absolute value becomes

$$-\left(\frac{n}{n + 1} - 1 \right) = 1 - \frac{n}{n + 1}.$$

The inequality above becomes

$$\begin{aligned}1 - x &> 1 - \frac{n}{n + 1} \\-x &> -\frac{n}{n + 1} \\x &< \frac{n}{n + 1}\end{aligned}$$

That is, for some n I have $x < \frac{n}{n + 1}$. Since I already know $x \geq 0$, I have

$$0 \leq x < \frac{n}{n + 1}.$$

This means that $x \in \left[0, \frac{n}{n + 1}\right)$. By the definition of union, $x \in \bigcup_{n=1}^{\infty} \left[0, \frac{n}{n + 1}\right]$. Therefore, $[0, 1) \subset$

$$\bigcup_{n=1}^{\infty} \left[0, \frac{n}{n + 1}\right].$$

Since I've proved both inclusions, I have $\bigcup_{n=1}^{\infty} \left[0, \frac{n}{n+1}\right] = [0, 1)$. \square

Example. Prove that

$$\bigcap_{n=1}^{\infty} \left[1, 3 + \frac{1}{n}\right] = [1, 3].$$

I'll show that each of the sets $\bigcap_{n=1}^{\infty} \left[1, 3 + \frac{1}{n}\right]$ and $[1, 3]$ is contained in the other.

I'll do the easy inclusion first. Let $x \in [1, 3]$. Then $1 \leq x \leq 3$.

For all $n \geq 1$, I have $3 < 3 + \frac{1}{n}$. Hence,

$$1 \leq x \leq 3 < 3 + \frac{1}{n}.$$

Therefore, $x \in \left[1, 3 + \frac{1}{n}\right]$ for all $n \geq 1$. By definition of intersection, $x \in \bigcap_{n=1}^{\infty} \left[1, 3 + \frac{1}{n}\right]$.

Thus, $[1, 3] \subset \bigcap_{n=1}^{\infty} \left[1, 3 + \frac{1}{n}\right]$.

Next, let $x \in \bigcap_{n=1}^{\infty} \left[1, 3 + \frac{1}{n}\right]$. This means that $x \in \left[1, 3 + \frac{1}{n}\right]$ for all $n \geq 1$ — that is,

$$1 \leq x \leq 3 + \frac{1}{n} \quad \text{for all } n \geq 1.$$

I have to show that $x \leq 3$. Suppose on the contrary that $x > 3$.

Note that

$$\lim_{n \rightarrow \infty} \left(3 + \frac{1}{n}\right) = 3.$$

In the limit definition, let $\epsilon = x - 3$. Then there is a number M such that if $n > M$,

$$\epsilon = x - 3 > \left|3 + \frac{1}{n} - 3\right| = \left|\frac{1}{n}\right| = \frac{1}{n}.$$

(I can drop the absolute values because n is positive.)

For any n such that $n > M$, I have

$$\begin{aligned} x - 3 &> \frac{1}{n} \\ x &> 3 + \frac{1}{n} \end{aligned}$$

But this contradicts the fact that $1 \leq x \leq 3 + \frac{1}{n}$ for all $n \geq 1$.

Intuitively, since $\lim_{n \rightarrow \infty} \left(3 + \frac{1}{n}\right) = 3$, if $x > 3$ then eventually the $3 + \frac{1}{n}$'s must shrink to the left of x .



If all of them stayed to the right of x , the limit would be greater than or equal to x , so it couldn't be 3. This proves by contradiction that $x \leq 3$. Since I already know that $1 \leq x$, I have $1 \leq x \leq 3$, or $x \in [1, 3]$.

Thus, $\bigcap_{n=1}^{\infty} \left[1, 3 + \frac{1}{n}\right] \subset [1, 3]$.

Together with the first inclusion, this proves that $\bigcap_{n=1}^{\infty} \left[1, 3 + \frac{1}{n}\right] = [1, 3]$. \square
